

Public Health--Seattle/King County
HIV/AIDS Monthly Surveillance Report
Through August 31, 2011¹

	Currently Reported Living With HIV Including AIDS		Currently Reported Living With AIDS		Currently Reported Living With HIV NOT AIDS	
	Number	Percent	Number	Percent	Number	Percent
KING COUNTY TOTAL LIVING	6,852	100%	3,815	100%	3,037	100%
SEX						
Male	6,143	90%	3,426	90%	2,717	89%
Female	709	10%	389	10%	320	11%
RACE-ETHNICITY						
White, Non-Hispanic	4,601	67%	2,492	65%	2,109	69%
Black, Non-Hispanic	1,143	17%	672	18%	471	16%
Hispanic/Latino	711	10%	426	11%	285	9%
Asian	215	3%	114	3%	101	3%
Native Hawaiian and Other Pacific Islander	16	0%	10	0%	6	0%
Native American/Alaskan Native	75	1%	46	1%	29	1%
Two or more races	90	1%	55	1%	35	1%
Undetermined Race	1	0%	0	0%	1	0%
AGE AT DIAGNOSIS OF HIV INFECTION						
0-12 Years	34	0%	8	0%	26	1%
13-19 Years	127	2%	76	2%	51	2%
20-29 Years	1,961	29%	1,000	26%	961	32%
30-39 Years	2,840	41%	1,666	44%	1,174	39%
40-49 Years	1,426	21%	819	21%	607	20%
50-59 Years	391	6%	208	5%	183	6%
60+ Years	73	1%	38	1%	35	1%
MODE OF TRANSMISSION						
Men Who Have Sex With Men (MSM)	4,740	69%	2,529	66%	2,211	73%
Injection Drug User (IDU)	332	5%	221	6%	111	4%
MSM & IDU	577	8%	370	10%	207	7%
Blood Exposure	29	0%	21	1%	8	0%
Heterosexual ²	646	9%	397	10%	249	8%
Perinatal	27	0%	6	0%	21	1%
Undetermined/Other	501	7%	271	7%	230	8%
RESIDENCE AT CURRENT DIAGNOSIS³						
Seattle	5,437	79%	3,006	79%	2,431	80%
King Co., Excluding Seattle	1,415	21%	809	21%	606	20%
King County Deaths (Cumulative)	4,671		4,492		179	
WASHINGTON STATE TOTAL LIVING	11,062		6,275		4,787	
Washington State Deaths	7,288		6,958		330	
U.S. TOTAL LIVING (12/31/09)⁴	852,982		496,946		356,036	
U.S. Deaths (12/31/09)⁴	Unknown		617,025		Unknown	

Notes:

- 1) There are delays in reporting these data; adjusted data are presented in HIV/AIDS Epidemiology Reports at <http://www.kingcounty.gov/healthservices/health/communicable/hiv/epi/reports.aspx>.
- 2) Includes presumed heterosexual cases (females who deny injection drug use but have had sexual intercourse with a man whose HIV status and HIV risk behaviors are unknown).
- 3) Residence at the time of diagnosis with AIDS (for AIDS cases) or HIV (for HIV cases).
- 4) These are the most recent U.S. available data for all 50 states and 5 dependent areas.